

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	1	("5624870").PN.	USPAT	2000/05/01 10:27
2	BRS	L2	113	(contact adj1 hole\$2) with carbon	USPAT; EPO; JPO; Derwen t	2000/05/01 11:34
3	IS&R	L3	1	("5148259").PN.	USPAT	2000/05/01 11:36
4	BRS	L4	44	plug\$2 with zinc adj1 oxide; or zno;	USPAT; EPO; JPO; Derwen t	2000/05/01 11:44
5	BRS	L5	2	((ZNO OR (ZINC ADJ1 OXIDE)) WITH contact adj1 hole)	USPAT; EPO; JPO; Derwen t	2000/05/01 11:45
6	BRS	L6	1	(conductive adj1 plug) with polyimide	USPAT; EPO; JPO; Derwen t	2000/05/01 12:53
7	BRS	L7	6	(carbon WITH (CONDUCTIVE ADJ1 PLUG))	USPAT; EPO; JPO; Derwen t	2000/05/01 12:36
8	BRS	L9	0	((ZINC ADJ1 OXIDE) with (CONDUCTIVE ADJ1 PLUG))	USPAT; EPO; JPO; Derwen t	2000/05/01 12:37
9	BRS	L10	0	((aluminum adj1 flake\$2) with (CONDUCTIVE ADJ1 PLUG))	USPAT; EPO; JPO; Derwen t	2000/05/01 12:38

	Type	L #	Hits	Search Text	DBs	Time Stamp
10	BRS	L11	3	((aluminum adj1 flake\$2) with ( PLUG))	USPAT; EPO; JPO; Derwen t	2000/05/01 12:38
11	BRS	L12	0	((nickel ADJ1 FLAKE\$2) WITH PLUG;	USPAT; EPO; JPO; Derwen t	2000/05/01 12:39
12	BRS	L13	0	((aluminum ADJ1 FLAKE\$2) WITH interconnect\$2)	USPAT; EPO; JPO; Derwen t	2000/05/01 12:39
13	BRS	L14	0	((nickel ADJ1 FLAKE\$2) WITH interconnect\$2)	USPAT; EPO; JPO; Derwen t	2000/05/01 12:39
14	BRS	L15	0	((nickel ADJ1 FLAKE\$2) WITH contact adj1 hole)	USPAT; EPO; JPO; Derwen t	2000/05/01 12:40
15	BRS	L16	0	((aluminum ADJ1 FLAKE\$2) WITH contact adj1 hole)	USPAT; EPO; JPO; Derwen t	2000/05/01 12:40
16	BRS	L17	0	((aluminum ADJ1 FLAKE\$2) and contact adj1 hole)	USPAT; EPO; JPO; Derwen t	2000/05/01 12:41
17	BRS	L18	46	((aluminum ADJ1 FLAKE\$2) and plug)	USPAT; EPO; JPO; Derwen t	2000/05/01 12:44

	Type	L #	Hits	Search Text	DBs	Time Stamp
18	BRS	L19	6	((aluminum ADJ1 FLAKES2; and interconnect)	USPAT; EPO; JPO; Derwen. t	2000/05/01 12:45
19	BRS	L20	69558	257/\$.cccls. or 438/\$.cccls.	USPAT; EPO; JPO; Derwen. t	2000/05/01 12:49
20	BRS	L21	2	20 and aluminum adj1 flake\$2)	USPAT	2000/05/01 12:51
21	BRS	L22	2	((nickel ADJ1 FLAKES2) AND 20)	USPAT	2000/05/01 12:51
22	BRS	L23	6	(POLYIMIDE SAME (CONDUCTIVE ADJ1 PLUG))	USPAT; EPO; JPO; Derwen. t	2000/05/01 12:57
23	BRS	L24	0	(alignment adj1 film) and (crystal adj1 liquid adj1 display)	USPAT	2000/05/01 12:59
24	BRS	L25	690	(alignment adj1 film) and (liquid adj1 crystal adj1 display)	USPAT	2000/05/01 13:02
25	BRS	L26	235	25 and (pixel adj1 electrode\$2)	USPAT	2000/05/01 13:03
26	BRS	L27	178	(25 AND (PIXEL ADJ1 ELECTRODE\$2,) and ito	USPAT	2000/05/01 13:03

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	1	("5624870").PN.	USPAT	2000/05/01 10:27
2	BRS	L2	113	(contact adj1 hole\$2) with carbon	USPAT; EPO; JPO; Derwen t	2000/05/01 11:34
3	IS&R	L3	1	("5148259").PN.	USPAT	2000/05/01 11:36
4	BRS	L4	44	plug\$2 with (zinc adj1 oxide) or zno)	USPAT; EPO; JPO; Derwen t	2000/05/01 11:44
5	BRS	L5	2	((ZNO OR (ZINC ADJ1 OXIDE)) WITH contact adj1 hole)	USPAT; EPO; JPO; Derwen t	2000/05/01 11:45

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	690	(alignment adj1 film) and (liquid adj1 crystal adj1 display)	USPAT	2000/05/01 14:19
2	BRS	L2	235	1 and (pixel adj1 electrode\$2	USPAT	2000/05/01 14:20
3	BRS	L3	178	2 and ito	USPAT	2000/05/01 14:21

	Type	Hits	Search Text
1	BRS	2945	((PIXEL ADJ1 ELECTRODE) AND ((LIQUID ADJ1 CRYSTAL) ADJ1 DISPLAY))